



Bazaar

Quick Start Card

Initialization

New project

```
bzr init myproject
```

Existing project

```
cd myproject  
bzr init  
bzr add .
```

New branch

```
bzr branch mp myproject
```

New checkout

```
bzr checkout mp myproject
```

New "lightweight" checkout

```
bzr checkout --lightweight mp \  
myproject
```

Information

Working tree status

```
bzr status
```

Revision log

```
bzr log  
bzr log foo.py
```

Working tree changes

```
bzr diff
```

foo.py changes

```
bzr diff foo.py
```

foo.py changes between revisions 1 and 3

```
bzr diff -r1..3 foo.py
```

Missing revisions

```
bzr missing
```

Branch information:

```
bzr info
```

Contents of foo.py at revision 3

```
bzr cat -r3 foo.py
```

File Manipulation

Add/"version" files

```
bzr add foo.py  
bzr add bar/
```

Remove/"unversion" files

```
bzr remove --keep foo.py
```

Remove and delete files

```
bzr remove --force foo.py
```

Version Control

Commit

```
bzr commit foo.py -m "foo"  
bzr commit -m "the rest"
```

Undo last commit

```
bzr uncommit
```

Revert changes

```
bzr revert
```

More Information

bzr help

<http://bazaar-vcs.org>

Merging

Merge two branches

```
cd myproject  
bzr merge ../myproject-foo  
bzr commit
```

Pull changes from myproject

```
cd myproject-foo  
bzr pull ../myproject
```

Update a checkout

```
bzr update
```

Auto-detect resolved conflicts

```
bzr resolve
```

Specify resolved conflict

```
bzr resolve foo.py
```

Concepts

Branch:

line of development for a project

Working tree:

version controlled directory

Repository:

store for Bazaar revisions

Revision:

version of the source code committed to the repository

Tag:

named revision

Related branches:

branches having a common ancestor

Merge:

the operation of applying to a branch all the changes introduced by another one

Supported URL Prefixes

afp://

Access using active FTP.

bzr://

Fast access using the Bazaar smart server.

bzr+ssh://

Fast access using the Bazaar smart server over SSH.

file://

Access using the standard filesystem (default)

ftp://

Access using passive FTP.

http://

Read-only access of branches exported on the web.

https://

Read-only access of branches exported on the web using SSL.

sftp://

Access using SFTP (most SSH servers provide SFTP).

Publishing

Push revisions

```
bzr push ../myproject-foo
```

Push revisions remotely

```
bzr push sftp://host/myproject-foo
```

Email a merge directive

```
bzr send
```

Create a merge directive

```
bzr send -o ../base.patch
```

Export current revision as a directory

```
bzr export ../myproject-dist/
```

Export current revision as an archive

```
bzr export ../myproject-dist.zip
```